

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

 $\sim$ 

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/717,542	11/21/2003	Sung-Su Jung	8734.257.00 US	7958
30827 7590 12/21/2007 MCKENNA LONG & ALDRIDGE LLP 1900 K STREET, NW			EXAMINER	
			TADESSE, YEWEBDAR T	
WASHINGTON, DC 20006			ART UNIT	PAPER NUMBER
			1792	
			MAIL DATE	DELIVERY MODE
			12/21/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

A. C.	Application No.	Applicant(s)				
Office Assistant Commencer	10/717,542	JUNG ET AL.				
Office Action Summary	Examiner	Art Unit				
	Yewebdar T. Tadesse	1792				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period was realiure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timularly and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. lely filed the mailing date of this communication. (35 U.S.C. § 133).				
Status	•					
1) Responsive to communication(s) filed on 11 Oc	Responsive to communication(s) filed on 11 October 2007.					
•	This action is <b>FINAL</b> . 2b) This action is non-final.					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ☐ Claim(s) 1-20 is/are pending in the application. 4a) Of the above claim(s) 15-20 is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-14 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	n from consideration.					
Application Papers						
9)☐ The specification is objected to by the Examine 10)☑ The drawing(s) filed on 21 November 2003 is/an Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction 11)☐ The oath or declaration is objected to by the Examine 10.	re: a) $\square$ accepted or b) $\square$ objected drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	o □	(DTO 442)				
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date</li></ol>	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te				

Art Unit: 1792

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1-14 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. In claim 1, lines 1-3; the requirement that the display parts is arranged in M columns of N lines, where N and M are greater than 2 is a new matter. As shown on paragraph 39 and 5B, the image display parts are formed in 2 columns of three line, in which M=2. Applicants' specification does not support the limitation that M is greater than 2.

# Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

<sup>(</sup>b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 1792

4. Claims 1-14 are rejected under 35 U.S.C. 102 (b) as being anticipated by Tisone ET al (US 6,063,339).

Tisone et al discloses (see Fig 1-2, 6 and column 22, lines 16-31) a dispenser capable of dispensing liquid crystal on display panel comprising, a substrate on which a plurality of image display parts arranged in M columns of N lines, where N and M are greater than 2; a table (112) on which the substrate is loaded; M supports (502) above the table (see column 22, lines 16-33 for multiple dispensers arranged in parallel); and N syringes (512) affixed at each support (502) to dispense a material on the substrate; wherein the M supports are independently driven (see Abstract for moving head and column 22, lines 16-21 for independently provided dispensers) from each other so that the N syringes at each support dispense dispensing material in the image display parts corresponding to the M support.

As to claim 5, in Tisone et al the table is moved in forward/backward and left/right directions (see Abstract).

Regarding claims 2-4 and 6-14, the claimed limitations are intended use of the apparatus related to the substrate and the coating material. These limitations do not add structure to the claimed apparatus.

# Response to Arguments

5. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 1792

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yewebdar T. Tadesse whose telephone number is (571) 272-1238. The examiner can normally be reached on Monday-Friday 8:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on (571) 272-1465. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/717,542

Page 5

Art Unit: 1792

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

And No